CORRECTED VERSION

(19) World Intellectual Property Organizati n International Bureau



(43) International Publication Date 19 April 2001 (19.04.2001)

PCT

(10) International Publication Number WO 01/26646 A1

- (51) International Patent Classification?: A61K 31/12, 31/20, 31/40, 31/66, 31/70, 35/78, 39/385
- (21) International Application Number: PCT/US00/27559
- (22) International Filing Date: 6 October 2000 (06.10.2000)
- (25) Filing Language:

English

(26) Publication Language:

English

- (30) Priority Data: 60/158,298 8 October 1999 (08.10.1999) US 60/158,328 8 October 1999 (08.10.1999) US 60/158,329 8 October 1999 (08.10.1999) US 60/158,480 8 October 1999 (08.10,1999) US 60/158,482 8 October 1999 (08.10.1999) US
- (71) Applicant (for all designated States except US): PHARMNSEAS, INC. [US/US]; 22512 Avenida Empresa, Rancho Santa Margarita, CA 92688 (US).
- (72) Inventor; and
- (75) Inventor/Applicant (for US only): HOWARD, Larry [US/US]; 25262 Arcadian Avenue, Mission Viejo, CA 92691 (US).
- (74) Agent: CONNORS, John, J.; Connors & Associates, Suite 220, 1600 Dove Street, Newport Beach, CA 92660-2427 (US).

- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published:

- With international search report.
- (48) Date of publication of this corrected version:

17 May 2001

(15) Information about Correction: see PCT Gazette No. 20/2001 of 17 May 2001, Section II

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

26646 A1

(54) Title: NUTRACEUTICAL PRODUCTS CONTAINING SAME AND DIETARY SUPPLEMENTS AND METHOD OF MAN-UFACTURING AND USE THEREOF

(57) Abstract: A nutraceutical product comprises a mixture SAMe and a dietary supplement, where the moisture content of the product is less than 5 weight percent. A nutraceutical preferred product includes a mixture of (RS)-(+)-SAMe and (SS)-(+)-SAMe diastereoisomers, with the (SS)-(+)-SAMe diastereoisomer being at a concentration of at least 95 weight percent of the mixture.

NUTRACEUTICAL PRODUCTS CONTAINING SAME AND DIETARY SUPPLEMENTS & METHOD OF MANUFACTURING AND USE THEREOF

4 5

1

2

3

RELATED APPLICATIONS

6 7

8

9

10

11

12

13

14

15

16

This utility application is based on the following United States provisional patent applications: Serial No. 60/158,298, filed October 8, 1999, entitled Time Release Coated Natural Supplement; Serial No. 60/158,328, filed October 8, 1999, entitled Herbal Mind And Mood Support Composition; Serial No. 60/158,329, filed October 8, 1999, entitled Herbal Stress Support Composition; Serial No. 60/158,480, filed October 8, 1999, entitled Joint Support Composition; and Serial No. 60/158,482, filed October 8, 1999, entitled Herbal Diet And Energy Support Composition. All of these provisional patent applications are incorporated herein by reference and made a part of this application.

1718

BACKGROUND OF THE INVENTION

19 20

21

22

23

24

25

26

27

28

S-adenosyl-L-methionine, and its salts, (either or both herein referred to as SAMe) are well known pharmacologically active compositions that combat depression, arthritis, and liver diseases such as, for example, cirrhosis. SAMe occurs as two diastereoisomers: (RS)-(+)-SAMe and (SS)-(+)-SAMe. The (SS)-(+)-SAM-e diastereoisomer is the pharmacologically active diastereoisomer. and SAMe products containing (SS)-(+)-SAMe at a concentration of at least 95 weight percent (%) of the total diastereoisomers mixture are known. A suitable source of SAMe, including the SAMe with the higher concentration of the (SS)-(+)-SAMe diastereoisomer, is Gnosis S. r. l. of Milan, Italy.

SUMMARY OF THE INVENTION

2

3

4

5

6

7

8

9

10

25

26

27

28

29

30

1

This invention is a nutraceutical product comprising a blend of SAMe and one or more dietary supplements. This nutraceutical product may be used by both humans and animals. Different nutraceutical products are provided having multiple beneficial properties. In this invention the dietary supplements enhance the beneficial effects of the SAMe, or provide additional beneficial effects, or both. The nutraceutical products of this invention preferably employ SAMe with the higher concentration of the (SS)-(+)-SAMe diastereoisomer.

11 The nutraceutical products of this invention may be administered 12 by any conventional route such as, for example, oral, rectal, nasal, 13 topical, or pareateral as tablets, softgel pills, capsules, caplets, suspensions, emulsions, solutions, suppositories, sprays, gums, drops, 14 lozenges, or injectibles They may be sold either in bulk to companies 15 that repackage the product for the consumer or in a form suitable for 16 17 use directly by the consumer. For example, if ingested orally, the 18 nutraceutical products of this invention are in the form of a softgel pill, caplet, capsule or tablet. Preferably, the softgel pill, caplet, capsule or 19 tablet is treated with a time release agent. An enteric coating and/or 20 21 micro-encapsulation may be employed to achieve time release, and one 22 suitable time release agent is an aqueous ethyl cellulose dispersion sold 23 under the trademark Surelease® by Colorcon, Inc. of Santa Ana, 24 California.

Packaging of the nutraceutical products of this invention is important. As discussed subsequently in greater detail, moisture adversely affects SAMe. Retailers of nutraceutical products usually conduct accelerated aging tests by subjecting the packaged product to high temperatures and high humidity over a controlled time duration, measuring the SAMe concentration in the product before and after

VO 01/26646	PCT/US00/2755
VUJ (11/20040	1 C1/0300/2/33

testing. It has been discovered that the softgel pill, caplet, capsule or 1 2 tablet form of the nutraceutical products of this invention completely 3 enclosed and sealed within an aluminum foil package resist degradation. 4 Preferably, the softgel pill, caplet, capsule or tablet is first completely 5 enclosed within a plastic wrap and then completely enclosed and sealed 6 the aluminum foil. The aluminum foil package acts as a moisture 7 barrier, enabling said softgel pill, caplet, capsule or table to have 8 substantially prolonged life when subjected to accelerated testing than a 9 softgel pill, caplet, capsule or table contained within, for example, a sealed bottle or plastic blister pack. Preferably, the thickness of the 10 11 aluminum foil is from 2 to 6 mils. 12 The nutraceutical products of this invention may also be sold in 13 forms other than a softgel pill, caplet, capsule or tablet. For example 14 these products may be used as topical applications such as creams, gels, 15 patches, etc. They may also be in liquid form especially when used as an

In the preferred embodiments of this invention the following dietary supplements are used:

19

21

22

24

25

26

28

16

17

18

۴.

20 Co-Q-10 (Coenzyme Q-10),

injectibles, or even as an enemas.

St. John's Wort derivative, either powder or any form of extract,

Ginkgo Biloba derivative, either powder or any form of extract,

23 Ma Huang derivative, either powder or any form of extract,

Epimeduim pinnatum derivative, either powder or extract,

Guarana derivative, either leaf or root powder or any form of

extract,

27 Citrus Aurantium derivative, either powder or any from of extract,

Kava Kava derivative, either powder or any form of extract,

29 cetyl myristoleate (CMO),

1 cetyl myristoleate blended with cetyl oleate, cetyl esters and cetyl 2 myristate. 3 Valerian derivative, either powder or any form of extract, 4 glutathione, 5 fructose - 1,6 - diphosphate (FDP), 6 glucosamine sulfate, glucosamine HCL, or glucosamine potassium, 7 methyl sulfanyl methane (MSM), 8 melatonin, 9 hydrolyzed collagen, 10 chondroitin sulfate. 11 citicoline, 12 alpha GPC. 13 14 Any one, or combinations of two or more, of these dietary supplements are mixed with SAMe, preferably with the SAMe comprising from about 15 0.1 to about 99 weight percent and the dietary supplement comprising 16 from about 1 to about 99 weight percent of the nutraceutical product. 17 18 SAMe decomposes in the presence of water

19 This presents a problem when blending with dietary temperatures. supplements. In accordance with this invention, during manufacture of 20 21 the nutraceutical products of this invention conditions are controlled so that the moisture content of the product is less than 5 weight percent, 22 preferably less than 3 weight percent. In some instances this may 23 require drying the dietary supplements prior to blending with the 24 SAMe. In the preferred manufacturing method the SAMe and dietary 25 supplement or supplements being mixed with the SAMe are dry 26 powders having a mesh ranging from about 60 to about 90. The 27 28 humidity of the manufacturing environment of nutraceutical product is less than 25% and the temperature of the manufacturing environment 29 30 of nutraceutical product is from 20 to 15 degrees Celsius.

nutraceutical product is encapsulated within capsules within 2 hours after manufacture. Preferably, these capsules are enteric coated, or otherwise treat with a time release agent, within 2 hours after encapsulation.

This invention also includes a method of supplementing a diet by administering for at least 10 to 14 days SAMe at a dosage of from 800 to 1200 milligrams per day and at the same time administering a nutraceutical product comprising SAMe and a dietary supplement, said nutraceutical product including a a dosage of at least 400 milligrams per day of SAMe, and after 14 days administering only said nutraceutical product.

٠.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

STRESS REDUCTION COMPOSITION

The preferred stress reduction compositions of this invention preferably include a combination of SAMe and other natural stress reducing substances in effective amounts for maintaining and/or improving emotional and physical health during periods of stress. One preferred embodiment of this invention especially effective in reducing emotional and physical stress and improving the ability to cope with such stress is SAMe in combination with one or more of the following: a Kava Kava derivative and a Valerian derivative.

26 s

The following are the preferred weight percentage ranges of these stress reduction compositions:

Component Weight Percentage

30 SAMe about 5% to about 90%

31 Kava Kava 1-70% Extract Activity

about 5% to about 90%

Valerian 1-30% Extract Activity

about 5% to about 90%

2

15

16

17

18

19

20

21

22

23

24

25

26

27

1

٠.

3 For efficacy in providing stress reduction, SAMe is administered in 4 dosages ranging from 10 mg to 2000 mg per day. Most preferably, 5 SAMe is present in an amount of 400 mg per total daily dose which is to 6 be taken one to two times per day. Kava Kava extract is derived 7 from a tropical plant found in the tropical regions of the Pacific rim and 8 is known and used for its benefit of relieving symptoms of stress and 9 anxiety, and to promote and induce relaxation. When used in 10 combination with SAMe, a Kava Kava extract, preferably 1-70% by weight active ingredient, is present in an amount ranging from 10 mg to 11 12 per dose per day. Preferably, a 30% by weight active 13 ingredient Kava Kava extract is present in an amount of 600 mg per 14 total daily dose taken one to two times.

Another composition which is effective in providing health benefits in the form of stress reduction and/or coping is Valerian Extract. Valerian is an herbal product known for its anti-anxiety and stress benefits and is sometimes used to help promote sleep. When used in combination with SAMe, a Valerian Root extract, preferably .8-30% by weight active ingredient is present in an amount ranging from 10 mg to 2000 mg per dose per day. Preferably, a 0.8% by weight Valerian Root extract, is present in an amount of 100 mg per total daily dose taken one to two times per day.

Another preferred composition is to combine all of the above: 200 mg SAMe with 600 mg Kava Kava extract, and 100 mg Valerian root extract within a time-release or enteric coated capsule, caplet, or tablet along with standard inert ingredients utilized in the art. This composition to be taken one to two times per day.

28 29

1	Preferred Dosages		
2 3 4	 For the first ten days: Take 800 - 1,200 mg per day of SAMe Active Ions- in addition to the Stress Support product. 		
5 6 7	2. Afterwards, continue only taking the Stress Support product daily.		
8 9 10 11 12	 400 mg of SAMe 600 mg of Kava Kava Extract, 30-50% Kavalactones 100 mg Valerian Root Extract (.8 - 1%) Valerenic acid 		
13	WEIGHT REDUCTION AND ENERGY		
14	ENHANCEMENT COMPOSITION		
15 16	The preferred weight reduction and energy enhancement		
17	compositions of this invention preferably include a combination of		
18	SAMe and one or more other natural appetite suppressant and/or		
19	energy enhancing substances in effective amounts for this purpose. One		
20	preferred embodiment of this invention especially effective for weight		
21	control and energy enhancement is SAMe in combination with one or		
22	more of the following: a Ma Huang derivative, a Epimedium Pinnatum		
23	derivative, a Citrus Aurantium derivative, and a Guarana derivative.		
24	These substances suppress appetite and increase energy. These		
25	substances provide weight reduction benefits by speeding up the body's		
26	metabolism, thus increasing the body's ability to burn fat without		
27	exercise and enhance energy levels.		
28	The following are the preferred weight percentage ranges of these		
29	weight reduction and energy enhancement compositions:		
30			
31	Component Weight Percentage		
32	SAMe about 5% to about 90%		
33	Ma Huang Extract 1-8% Activity about 5% to about 90%		
34	Epimedium Extract 1-50% Activity about 5% to about 90%		

WO 01/26646	PCT/US00/27559
W C 01/20040	1 C1/C500/2/555

Citrus Aruantium Extract 1-40% Activity about 5% to about 90%
Guarana Extract 1-50% Activity about 5% to about 90%

3

19

20

21

22

23

24

25

26

27

28

29

30

14.

For efficacy in providing weight loss and energy benefits, SAMe is present in an amount ranging from 10 mg to 2000 mg per day.

Preferably SAMe is present in an amount of 400 mg per day two times per day. Other weight loss benefit compositions may be taken with SAMe.

9 Another composition that is effective in providing health benefits 10 in the form of weight reduction is Ma Huang. Ma Huang is a naturally 11 occurring herb which contains as an active weight reduction ingredient 12 the sympathomimetic compound Ephedra Sinica, or its extract 13 ephedrine. When used in combination with SAMe, Ma Huang Extract, preferably at a concentration of 1-8% by weight Activity, is present in 14 15 an amount ranging from 10 mg to 2000 mg per dose per day. Preferably, a 6% by weight Ma Huang extract is present in an amount of 16 17 300 mg per daily dose taken two times per day before morning and 18 evening meal.

Another composition which is effective in providing health benefits in the form of weight reduction is Epimedium Pinnatum Extract. Epimedium Extract is known to increase energy levels and metabolism. When used in combination with SAMe, Epimedium Extract, preferably at a concentration of 1-50% by weight Activity is present in an amount ranging from 10 mg to 2000 mg per dose. Preferably, a 10% by weight Epimedium Pinnatum extract is present in an amount of 100 mg per daily dose taken two times per day before morning and evening meal.

Another composition which is effective in providing health benefits in the form of weight reduction is Citrus Aurantium Extract. Citrus Aurantium Extract is known to increase energy levels and metabolism. When used in combination with SAMe, a 1-40% by weight

Activity concentration of Citrus Aurantium Extract is present in an amount ranging from 10 mg to 2000 mg per daily dose. Preferably, a 4% by weight Citrus Aurandum extract is present in an amount of 100

mg per dose taken two times per day before morning and evening meal.

Another composition which is effective in providing health benefits in the form of weight reduction is Guarana Extract. Guarana Extract is known to increase energy levels and metabolism. When used in combination with SAMe, a 1-50% by weight Activity concentration of Guarana is present in an amount ranging from 10 mg to 2000 mg daily per dose. Preferably, a 10% by weight caffeine Guarana extract is

present in an amount of 80 mg per dose taken two times per day.

Another preferred composition is to combine all of the above for an average daily dosage as follows: 200 mg to 400 mg SAMe with 900 mg Ma Huang Extract, 200 mg Epimedium Pinnatum Extract, 100 mg Citrus Aurantium Extract and 100 mg Guarana Extract within a time-release coated capsule or tablet along with standard inert ingredients utilized in the art.

Another preferred composition is to combine all of the above: 400 mg SAMe with 300 mg Ma Huang Extract, 100 mg Epimedium Pinnatum Extract, 100 mg Citrus Aurantium Extract and 80mg Guarana Extract within a time-release coated capsule or tablet along with standard inert ingredients utilized in the art; said composition to be taken two times per day before morning and evening meal.

Preferred Dosages

1. For the first ten days: Take 800 - 1,200 mg per day of SAMe 400 mg Active Ions tablets, caplets, or capsules - in addition to our Diet Support

2. Afterwards, continue only taking the Diet Support composition daily.

1	 400 mg of Active SAMe Ions
2	• 300-400 mg of Ma Huang Extract 6% Alkaloids
3	• 100 mg Epimedium Pinnatum Extract 10-30% Icariin
4	• 100-200 mg Citrus Aurantium Extract, 4-6% Synephrine
5	• 80-120 mg Guarana Seed Extract 10% Caffeine
5	
7	·

7 8

JOINT ANTI-INFLAMMATION COMPOSITION

9

10 The preferred anti-inflammation compositions of this invention 11 preferably include a combination of SAMe and other natural antiinflammation substances in effective amounts for this purpose. 12 13 preferred embodiment of this invention especially effective inflammation reduction and joint pain is SAMe in combination with one 14 or more of the following: methyl sulfanyl methane, cetyl myristoleate, 15 glucosamine sulfate, glucosamine HCL, or glucosamine potassium, and 16 hydrolyzed collagen. These components are known to help (a) relieve 17 18 symptoms of arthritis and inflammation, (b) rebuild connective tissue, and (c) relieve symptoms related to sport injury and accidents affecting 19 joints. There is a benefit to be found in taking these substances in 20 combination, which increases the overall health benefit to joints over 21 22 that obtained by taking each substance individually.

The following are the preferred weight percentage ranges of these anti-inflammation compositions:

25

23

26	Component	Weight Percentage
27	SAMe	about 5% to about 90%
28	methyl sulfanyl methane	about 5% to about 90%
29	Cetyl myristoleate 1-99% Pure	about 5% to about 90%
30	Glucosamine sulfate, HCL or potassium	about 5% to about 90%
31	Hydrolyzed collagen	about 5% to about 90%
32		

14

1

2

4

7

8

. 9

10

11

12

13

14

15

16

17

18

19

20

For efficacy in providing joint health benefits, SAMe is administered in an amount ranging from 10 mg to 2000 mg per day. 3 Preferably SAMe is present in an amount ranging from 400 mg to 800 mg per day. Most preferably, SAMe is present in an amount of 100 mg 5 per dose which is to be taken two to three times per day. Other joint 6 benefit compositions may be taken with SAMe.

Another composition which is effective in providing benefits to joints, is MSM (methyl sulfanyl methane). MSM is known to reduce symptoms caused by arthritis and sport injuries. When used in combination with SAMe, MSM is present in an amount ranging from 10 mg to 5000 mg per daily dose. Preferably, MSM is present in an amount of 300 mg per dose taken two times per day.

Another composition which is effective in providing health benefits to joints, is cetyl myristoleate. Cetyl mysristoleate is known to help symptoms of rhumotoid arthritis and inflammation. When used in combination with SAMe, a 1-99% by weight concentration of cetyl myristoleate is present in an amount ranging from 0.5 mg to 2000 mg per dose per day. Preferably, an 20% by weight concentration of cetyl mysristoleate is present in an amount of 50 mg per dose taken two times per day.

21 Another composition which is effective in providing 22 benefits to joints is glucosamine sulfate, glucosamine HCL, or 23 glucosamine potassium. This composition is known to help rebuild 24 connective tissues and to ease symptoms of arthritis, injury, and 25 inflammation. When used in combination with SAMe, glucosamine 26 sulfate, glucosamine HCL, or glucosamine potassium is present in an 27 amount ranging from 10 mg to 2000 mg per dose per day. Preferably, 28 glucosamine sulfate, glucosamine HCL, or glucosamine potassium is 29 present in an amount of 1000 mg per dose taken two to three times per 30 day.

Another preferred composition is to combine all of the above: 100 mg SAMe with 300 mg MSM, 50 mg CMO, and 1000 mg glucosamine sulfate within a time-release coated capsule or tablet along with standard inert ingredients utilized in the art; said composition to be taken one to four times per day.

Another preferred composition is to combine all of the above: about 400 mg SAMe with about 1000 mg MSM, with about 75 mg cetyl myristoleate, with about 1,000 mg glucosamine sulfate, with about 100 mg hydrolyzed collagen within a time-release coated capsule or tablet.

•

Preferred Dosages

1. For the first ten days: Take 800 - 1,200 mg per day of SAMe 400mg Active Ions tablets, caplets, or capsules - in addition to the Joint Support composition

2. Afterwards, continue only the Joint Support daily.

- 400 mg of Active SAMe Ions
- 1000 1,500 mg of Glucosamine Sulfate (or HCL or Potassium)
- 300-500 mg of MSM (Methylsulfonylmethane)
- 50-500 mg of CMO blend, 20% Cetyl Myristoleate

MIND AND MOOD ENHANCEMENT COMPOSITION

The preferred mind and mood enhancement compositions of this invention preferably include a combination of SAMe and other natural mind and mood substances in effective amounts for this purpose. One preferred embodiment of this invention especially effective for mind and mood enhancement is SAMe in combination with one or more of the following: a St. John's Wort derivative and a Ginko Biloba derivative. These emotional balance and brain function compositions are presented in a variety of formulations, with or without other emotional balance

1 and/or brain function ingredients.

According to the invention, the herbal treatment composition preferably includes the desired combination of natural mood and brain function promoting substances in effective amounts for maintaining and/or improving emotional balance and/or memory and/or brain function. The foregoing descriptions of quantity and dosage are intended to be specific examples and are not intended to limit the scope of the invention.

The following are the preferred weight percentage ranges of these mind and mood enhancement compositions:

٠:

12 Component Weight Percentage 13 SAMe about 5% to about 90% 14 St. John's Wort .1-50% about 5% to about 90% 15 Ginkgo Biloba 1-99% about 5% to about 90%

For efficacy in providing mind and mood benefits, SAMe is administered in an amount ranging from 10 mg to 2000 mg per day. Preferably, SAMe is used in an amount 400 mg per day. Most preferably, SAMe is used in an amount of 400 mg per daily dose which is to be taken one to two times per day.

Another composition which is effective in providing health benefits in the form of increased emotional balance is St. John's Wort. St. John's Wort is a naturally occurring herb which contains the therapeutically active ingredient hypericin and hyperforin. These ingredients have an anti-depressive effect which is believed to be caused by modifying serotonin levels in the brain. When used in combination with SAMe, St John's Wort, preferably a concentration between .1-50% by weight, is used in an amount ranging from 10 mg to 5000 mg per dose per day. Preferably a 0.3% by weight hypericin

1 concentration of St. John's Wort extract is used in an amount of 900 mg 2 per daily dose taken two times per day.

Another composition that is effective in providing health benefits in the form of improving memory and brain function as well as acting as an anti-depressant is Ginko Biloba. When used in combination with SAMe, Ginko Biloba, preferably a concentration between 1-99% by weight, is used in an amount ranging from 0.5 mg to 2000 mg per dose per day. Preferably, a 24/6% by weight Ginko Biloba extract, is used in an amount of 60 mg per daily dose.

Another preferred composition is to combine all of the above: 200 to 400 mg SAMe with 60 mg Ginko Biloba Extract, and 900 mg St. John's Wort extract within a time-released coated capsule or tablet along with standard inert ingredients utilized in the art; said composition to be taken one to two times per day.

Another preferred composition is to combine all of the above: 100mg SAMe with 60 mg Ginko Biloba Extract, and 900 mg St. John's Wort extract within a time-released coated capsule or tablet along with standard inert ingredients utilized in the art; said composition to be taken one to two times per day.

The present invention may be formulated for administration by any conventional route including but not limited to oral, rectal, nasal, topical, or pareateral. The composition may take the form of tablets, capsules, suspensions, emulsions, solutions, suppositories, sprays or injectibles, but is not limited to these forms.

٠.

Preferred Dosages

1. For the first ten days: Take 800 - 1,200 mg per day of the SAMe 400mg Active Ions tablets, caplets, or capsules - in addition to our Mind and Mood Product

2. Afterwards, continue only taking the Mind and Mood composition daily.

 $v_{N}=-v_{T}$

1	·
2	 400 mg of Active SAMe Ions
3	• 60 mg of Ginkgo Biloba Extract, 24% Flavoneglycosides – 6-
4	1% Terpenelactones
5	• 500-900 mg of St. John's Wort Extract, .3% Hypericin & 1-2%
6	Hyperforin.
7 8	SAMe Mind and Mood Surrey Comments
9	SAMe Mind and Mood Support Composition:
10	3. For the first ten days: Take 800 - 1,200 mg per day of our
11	SAMe 400mg Active Ions tablets, caplets, or capsules – in
12	addition to our Mind and Mood Product
13 14	4. Afterwards, continue only taking the Mind and Mood product
15	daily.
16	• 400 mg of Active SAMe Ions
17	• 60 mg of Ginkgo Biloba Extract, 24% Flavoneglycosides – 6-
18	7% Terpenelactones
19	• 500-900 mg of St. John's Wort Extract, .3% Hypericin & 1-2%
20 21	Hyperforin.
22	
23	I IVED ENHANCEMENT AND ANTENDED
	LIVER ENHANCEMENT AND ANTI-OXIDANT COMPOSITION
24	
25	The preferred liver enhancement and anti-oxidant compositions of
26	this invention preferably include a combination of SAMe and other
27	natural liver enhancement and anti-oxidant substances in effective
28	amounts for this purpose. One preferred embodiment of this invention
29	especially effective as a liver enhancement and anti-oxidant is SAMe in
30	combination with one or more of the following: Coenzyme Q-10,
31	glutathione, and frutose - 1,6 - diphosphate.
32	The following are the preferred weight percentage ranges of these
33	liver enhancement and anti-oxidant compositions:
34	•
35	Component Weight Percentage
36	CANA
37	Comment of 10
51	Coenzyme Q-10 about 5% to about 90%

about 5% to about 90%

	WO 01/26646				PCT/US	S00/27559
1	Glutathione	about	5%	to	about	90%
2	Frutose - 1,6 - diphosphate	about	5%	to	about	90%
3						
4	Preferred Dosages					
5					•	
6 7	 150 mg Co-Q-10 (Coenzyme Q-10) 400 mg SAMe 	}				
8	• 100-300 mg Glutathione					
9	• 50-150 mg Frutose – 1,6 – Diphosp	hate (FDP)		
10		•		,		
11 12	SAMe Liver and Anti-Oxidant Support					
13	Simile Liver and Anti-Oxidant Support					
14	• 150 mg Co-Q-10 (Coenzyme Q-10)					
15	• 400 mg SAMe					
16 17	100-300 mg Glutathione50-150 mg Frutose – 1,6 – Diphosp	. 1				
18	5 30-130 mg 11dtose = 1,0 = Diphosp	nate (rdP,)		
19						
20	SLEEP ENHANCEMENT COM	IPOSI'	rioi	V		
21						
22	The preferred sleep enhancement comp	positio	ns (of t	his ir	vention
23	preferably include a combination of SAM	le an	d - a	t I	natural	l sleep
24	enhancement substances in effective amoun	ts for	thi	is	purpos	se. One
25	preferred embodiment of this invention esp	ecially	ef	fect	ive	a sleep
26	enhancement product is SAMe in combination	with	one	OI	more	ofthe
27	following: melatonin and a Kava Kava derivati					
28	The following are the preferred weight I	percent	tage	га	nges	of these
29	sleep enhancement compositions:				_	
30						
31	Component	V	Veig	ht	Perce	ntage
32						
33	SAMe	about	5%	to	about	90%
34	Melatonin	about	5%	to :	about	90%
35	Kava Kava Extract	about	5%	to a	about	90%

• • • •

1	
2	Preferred Dosages
3	Treferred Dosages
4	• 50 mg Melatonin
5	 600 mg Kava Kava Extract, 30% Kavalactones
6	• 400 mg SAMe Active Ions
7	• 100 mg Valerian Extract .8-1%
8	
9	The following are examples for the manufacture of the most preferred
10	compositions.
11	
12	Production Example I (Stress Reduction Composition)
13	i composition,
14	Starting material:
15	
16	35.3 kilograms of Kava Kava 30% kavalactones
17	47.1 kilograms of SAMe, tosylate salt
18 19	5.9 kilograms of Valerian 0.8% by weight Valerenic Acid
20	200 kilograms of excepients and miscellaneous fillers 125,000 "00" size capsules
21	125,000 00 size capsules
22	• Insure that all ingredients are at approximately 2% - 3% moisture
23	content.
24	 Maintain average humidity of the manufacturing environment at
25	under 25% during manufacture.
26	• Maintain average temperature of the manufacturing environment is
27	under 20 degrees Celsius.
28	• Make sure process time from mixture to encapsulation is under 2
29	hours.
30 31	• Within 2 hours of encapsulation, enteric coat, or otherwise treat with
32	a time release agent, the capsules for optimum stability
33	
34	
35	Production Example II (Mind and Mood Enhancement
36	Reduction Composition)
37	, and the same of
38	Starting material:
39	
40	50 kilograms of SAMe, tosylate salt
41	4 kilograms of Ginkgo Biloba Extract 24/6% by weight Extract
42 42	31 kilograms of St. John's Wort, 3% by weight Extract
43 44	240 kilograms of excepients and miscellaneous fillers
74	125,000 "00" size capsules

WO 01/26646 PCT/US00/27559 1 2 • Insure that all ingredients are at approximately 2% - 3% moisture 3 • Maintain average humidity of the manufacturing environment is at 4 5 under 25% • Maintain average temperature of the manufacturing environment is 6 7 under 20 degrees Celsius • Make sure process time from mixture to encapsulation is under 2 .8 9 hours. • Within 2 hours of encapsulation, enteric coat, or otherwise treat with 10 a time release agent, the capsules for optimum stability 11 12 13 Production Example III (Joint Anti-Inflammation Composition) 14 15 16 Starting material: 17 18 33.4 kilograms of SAMe, tosylate salt 41.7 kilograms glucosamine sulfate 19 12.5 kilograms of methyl sulfanyl methane (MSN) 20 21 kilograms of a 20% by weight cetyl myristoleate blend. 10.4 kilograms of excepients and miscellaneous fillers 22 23 125,000 "00" size capsules 24 25 • Insure that all ingredients are at approximately 2% - 3% moisture 26 content. • Maintain average humidity of the manufacturing environment is 27 28 under 25% • Maintain average temperature of the manufacturing environment is 29 30 at under 20 degrees Celsius • Make sure process time from mixture to encapsulation is under 2 31 32 hours 33 • Within 2 hours of encapsulation, enteric coat, or otherwise treat with a time release agent, the capsules for optimum stability 34 35 36 Production Example IV (Weight Reduction and Energy 37 Enhancement Composition) 38 39

Starting material:

40 41

42

43

44 45

٠;

50 kilograms of SAMe, tosylate salt

19 kilograms Ma Huang Extract 6% by weight

6.3 kilograms of Epimedium Pinnatum Extract 10% by weight

6.3 kilograms of Citrus Aurantium Extract 6% by weight

5 kilograms of Guarana Extract 10% by weight

2 3	13.7 kilograms of excepients and miscellaneous fillers 125,000 "00" size capsules
4 5	• Insure that all ingredients are at approximately 2% - 3% moisture content.
6	 Maintain average humidity of the manufacturing environment is at under 25%.
8 9	• Maintain average temperature of the manufacturing environment is
10.	i and
11	 Within 2 hours of encapsulation, enteric coat, or otherwise treat with
13 14	a time release agent, the capsules for optimum stability
15 16	Declaration From 1 W (Time Prince)
17 18	Production Example V (Liver Enhancement and Anti-Oxidant Composition)
19 20 21	Starting material:
22	25.8 kilograms of SAMe, tosylate salt
23	9.7 kilograms Co-Q-10
2 <i>3</i> 24	6.5 kilograms glutahion
25	6.4 kilograms fructose – 1,6 – diphosphate
26	25.8 kilograms of excepients and miscellaneous fillers
27 28	125,000 "00" size capsules
29 30	 Insure that all ingredients are at approximately 2% - 3% moisture content.
31 32	 Maintain average humidity of the manufacturing environment is at under 25%.
33 34	• Maintain average temperature of the manufacturing environment is under 20 degrees Celsius.
35 36	 Make sure process time from mixture to encapsulation is under 2 hours.
37	• Within 2 hours of encapsulation, enteric coat, or otherwise treat with
38	a time release agent, the capsules for optimum stability
39	
40	
41	Production Example VI (Sleep Enhancement Composition)
12	
13	Starting material:
14	
15	47.1 kilograms of SAMe, tosylate salt

1	3.0 kilograms of melatonin
2	35.5 kilograms of Kava Kava Extract
3	5.9 kilograms of Valerian Root Extract
4	8.9 kilograms of excepients and misc. fillers
5	125,000 "00" size capsules
_	

6

- Insure that all ingredients are at approximately 2% 3% moisture content.
- Maintain average humidity of the manufacturing environment is at under 25%.
- Maintain average temperature of the manufacturing environment is
 under 20 degrees Celsius.
- Make sure process time from mixture to encapsulation is under 2 hours.
- Within 2 hours of encapsulation, enteric coat, or otherwise treat with a time release agent, the capsules for optimum stability

17 18

SCOPE OF THE INVENTION

20

19

21 The above presents a description of the best mode contemplated of carrying out the present invention, and of the manner and process of 22 making and using it, in such full, clear, concise, and exact terms as to 23 enable any person skilled in the art to which it pertains to make and 24 25 use this invention. This invention is, however, susceptible modifications and alternate constructions from that discussed above 26 which are fully equivalent. Consequently, it is not the intention to limit 27 28 this invention to the particular embodiments disclosed. On the contrary, the intention is to cover all modifications and alternate constructions 29 coming within the spirit and scope of the invention as generally 30 expressed by the following claims, which particularly point out and 31 distinctly claim the subject matter of the invention: 32

		2 0 2 / 0 0 0 0 2 /
1	THE CLAIMS	

2

3 1. A nutraceutical product comprising a mixture of SAMe and Co-Q-4 10.

5

- 6 2. The nutraceutical product of Claim 1 comprising from 0.1 to 99
- 7 weight percent of the SAMe and from 1 to 99 weight percent of the Co-
- 8 Q-10.

9

- 10 3. The nutraceutical product of Claim 2 where the moisture content
- 11 of the product is less than 5 weight percent.

12

- 13 4. A nutraceutical product comprising a mixture SAMe and St. John's
- 14 Wort derivative.

15

- 16 5. The nutraceutical product of Claim 4 comprising from 0.1 to 99
- 17 weight percent of the SAMe and from 1 to 99 weight percent of the St.
- 18 John's Wort derivative.

19

- 20 6. The nutraceutical product of Claim 5 where the moisture content
- 21 of the product is less than 5 weight percent.

22

- 23 7. A nutraceutical product comprising a mixture SAMe and a Ginkgo
- 24 Biloba derivative.

25

- 26 8. The nutraceutical product of Claim 7 comprising from 0.1 to 99
- 27 weight percent of the SAMe and from 1 to 99 weight percent of the
- 28 Ginkgo Biloba derivative.

1 9. The nutraceutical product of Claim 8 where the moisture content

2 of the product is less than 5 weight percent.

3

- 4 10. A nutraceutical product comprising a mixture SAMe and a Ma
- 5 Huang derivative.

6

- 7 11. The nutraceutical product of Claim 10 comprising from 0.1 to 99
- 8 weight percent of the SAMe and from 1 to 99 weight percent of the Ma
- 9 Huang derivative.

10

- 11 12. The nutraceutical product of Claim 11 where the moisture content
- 12 of the product is less than 5 weight percent.

13

- 14 13. A nutraceutical product comprising a mixture SAMe and a
- 15 Epimeduim Pinnatum derivative.

16

- 17 14. The nutraceutical product of Claim 13 comprising from 0.1 to 99
- 18 weight percent of the SAMe and from 1 to 99 weight percent of the
- 19 Epimeduim Pinnatum derivative.

20

- 21 15. The nutraceutical product of Claim 14 where the moisture content
- 22 of the product is less than 5 weight percent.

23

- 24 16. A nutraceutical product comprising a mixture SAMe and a
- 25 Guarana derivative.

26

- 27 17. The nutraceutical product of Claim 16 comprising from 0.1 to 99
- 28 weight percent of the SAMe and from 1 to 99 weight percent of the
- 29 Guarana derivative.

1 18. The nutraceutical product of Claim 17 where the moisture content

2 of the product is less than 5 weight percent.

3

- 4 19. A nutraceutical product comprising a mixture SAMe and a Citrus
- 5 Aurantium derivative.

6

- 7 20. The nutraceutical product of Claim 19 comprising from 0.1 to 99
- 8 weight percent of the SAMe and from 1 to 99 weight percent of the
- 9 Citrus Aurantium derivative.

10

- 11 21. The nutraceutical product of Claim 20 where the moisture content
- 12 of the product is less than 5 weight percent.

13

- 14 22. A nutraceutical product comprising a mixture SAMe and a Kava
- 15 Kava derivative.

16

- 17 23. The nutraceutical product of Claim 22 comprising from 0.1 to 99
- 18 weight percent of the SAMe and from 1 to 99 weight percent of the
- 19 Kava Kava derivative.

20

- 21 24. The nutraceutical product of Claim 23 where the moisture content
- 22 of the product is less than 5 weight percent.

23

- 24 25. A nutraceutical product comprising a mixture SAMe and cetyl
- 25 myristoleate.

26

- 27 26. The nutraceutical product of Claim 25 comprising from 0.1 to 99
- 28 weight percent of the SAMe and from 1 to 99 weight percent of the
- 29 cetyl myristoleat.

1 27. The nutraceutical product of Claim 29 where the moisture content

2 of the product is less than 5 weight percent.

3

- 4 28. The nutraceutical product of Claim 27 including cetyl oleate, cetyl
- 5 esters, or cetyl myristate.

6

- 7 29. The nutraceutical product of Claim 28 comprising from 20 to 80
- 8 weight percent of the cetyl myristoleate and comprising from 20 to 80
- 9 weight percent of the cetyl oleate, cetyl esters, or cetyl myristate.

10

- 11 30. A nutraceutical product comprising a mixture SAMe and a
- 12 Valerian derivative.

13

- 14 31. The nutraceutical product of Claim 33 comprising from 0.1 to 99
- 15 weight percent of the SAMe and from 1 to 99 weight percent of the
- 16 Valerian derivative.

17

- 18 32. The nutraceutical product of Claim 31 where the moisture content
- 19 of the product is less than 5 weight percent.

20

- 21 33. A nutraceutical product comprising a mixture SAMe and
- 22 glutathione.

23

- 24 34. The nutraceutical product of Claim 33 comprising from 0.1 to 99
- 25 weight percent of the SAMe and from 1 to 99 weight percent of the
- 26 glutathione.

27

- 28 35. The nutraceutical product of Claim 34 where the moisture content
- 29 of the product is less than 5 weight percent.

1 36. A nutraceutical product comprising a mixture SAMe and fructose -

2 1,6-diphosphate.

3

- 4 37. The nutraceutical product of Claim 36 comprising from 0.1 to 99
- 5 weight percent of the SAMe and from 1 to 99 weight percent of the
- 6 fructose 1,6 diphosphate.

7

- 8 38. The nutraceutical product of Claim 37 where the moisture content
- 9 of the product is less than 5 weight percent.

10

- 11 39. A nutraceutical product comprising a mixture SAMe and
- 12 glucosamine sulfate, glucosamine HCL or glucosamine potassium.

13

- 14 40. The nutraceutical product of Claim 39 comprising from 0.1 to 99
- 15 weight percent of the SAMe and from 1 to 99 weight percent of the
- 16 glucosamine sulfate, HCL or potassium.

17

- 18 41. The nutraceutical product of Claim 40 where the moisture content
- 19 of the product is less than 5 weight percent.

20

- 21 42. A nutraceutical product comprising a mixture SAMe and methyl
- 22 sulfanyl methane.

23

- 24 43. The nutraceutical product of Claim 42 comprising from 0.1 to 99
- 25 weight percent of the SAMe and from 1 to 99 weight percent of the
- 26 methyl sulfanyl methane.

27

- 28 44. The nutraceutical product of Claim 43 where the moisture content
- 29 of the product is less than 5 weight percent.

1 45. A nutraceutical product comprising a mixture SAMe and a dietary

- 2 supplement, with the moisture content of the product being less than 5
- 3 weight percent.

4

- 5 46. The nutraceutical product of Claim 45 where the SAMe is a
- 6 mixture of (RS)-(+)-SAMe and (SS)-(+)-SAMe diastereoisomers, with the
- 7 (SS)-(+)-SAMe diastereoisomer being at a concentration of at least 95
- 8 weight percent of the mixture.

9

- 10 47. A nutraceutical product comprising a softgel pill, caplet, capsule
- 11 or tablet treated with a time release agent, said softgel pill, caplet,
- 12 capsule or tablet containing a mixture SAMe and a dietary supplement,
- 13 with the moisture content of the mixture being less than 5 weight
- 14 percent.

15

- 16 48. The nutraceutical product of Claim 47 where the softgel pill,
- 17 caplet, capsule or table sealed within an aluminum foil package that acts
- 18 as a moisture barrier, enabling said softgel pill, caplet, capsule or tablet
- 19 to have substantially prolonged life when subjected to accelerated
- 20 testing than a softgel pill, caplet, capsule or table contained within a
- 21 sealed bottle.

22

- 23 49. The nutraceutical product of Claim 47 where the time release
- 24 agent is an aqueous ethyl cellulose dispersion.

25

- 26 50. The nutraceutical product of Claim 47 where the SAMe is a
- 27 mixture of (RS)-(+)-SAMe and (SS)-(+)-SAMe diastereoisomers, with the
- 28 (SS)-(+)-SAMe diastereoisomer being at a concentration of at least 95
- 29 weight percent of the mixture.

1 51. A nutraceutical product comprising a mixture of SAMe, a Kava

2 Kava derivative, and a Valerian derivative.

3

- 4 52. The nutraceutical product of Claim 51 where the Kava Kava
- 5 derivative includes from 30 to 50 weight percent Kavalactones.

6

- 7 53. The nutraceutical product of Claim 51 where the Valerian
- 8 derivative includes from 0.8 to 1 weight percent Valerenic acid.

9

- 10 54. A nutraceutical product comprising a mixture of SAMe, a Ginkgo
- 11 Biloba derivative, and a St. John's Wort derivative.

12

- 13 54. A nutraceutical product comprising a mixture of SAMe,
- 14 glucosamine sulfate, methyl sulfanyl methane, and cetyl myristoleate.

15

- 16 55. A nutraceutical product comprising a mixture of SAMe, Ma Huang
- 17 derivative, Epimedium Pinnatum, derivative, Citrus Aurantium
- 18 derivative, Guarana derivative.

19

- 20 56. A nutraceutical product comprising a mixture of SAMe, Co-Q-10,
- 21 glutahion, and fructose 1,6 diphosphate.

22

- 23 57. A nutraceutical product comprising a mixture of SAMe, a Kava
- 24 Kava derivative, a Valerian derivative, and melatonin.

- 26 58. A nutraceutical product comprising a mixture of SAMe and at least
- 27 two of the following ingredients:
- 28 Co-Q-10 (Coenzyme Q-10),
- 29 St. John's Wort derivative, either powder or any form of extract,
- Ginkgo Biloba derivative, either powder or any form of extract,

WO 01/26646	PCT/US00/27559
	1 C 1 (0300/4/339

- 1 Ma Huang derivative, either powder or any form of extract,
- 2 Epimeduim pinnatum derivative, either powder or extract,
- 3 Guarana derivative, either leaf or root powder or any form of
- 4 extract,
- 5 Citrus Aurantium derivative, either powder or any from of extract,
- 6 Kava Kava derivative, either powder or any form of extract,
- 7 cetyl myristoleate (CMO),
- 8 cetyl myristoleate blended with cetyl oleate, cetyl esters and cetyl
- 9 myristate,
- Valerian derivative, either powder or any form of extract,
- 11 glutathione,
- 12 fructose 1,6 diphosphate (FDP),
- glucosamine sulfate, glucosamine HCL, or glucosamine potassium,
- methyl sulfanyl methane (MSM),
- 15 melatonin,
- 16 hydrolyzed collagen,
- 17 chondroitin sulfate.
- 18 citicoline,
- 19 alpha GPC.

20

- 21 57. A nutraceutical product comprising a mixture of SAMe and
- 22 melatonin.

23

- 24 58. A nutraceutical product comprising a mixture of SAMe and
- 25 hydrolyzed collagen.

- 27 59. A nutraceutical product comprising a mixture of SAMe and
- 28 chondroitin sulfate.
- 29 60. A nutraceutical product comprising a mixture of SAMe and
- 30 citicoline,

1 61. A nutraceutical product comprising a mixture of SAMe and alpha

2 GPC.

3

- 4 62. A method of manufacturing a nutraceutical product comprising
- 5 mixing SAMe and a dietary supplement under conditions where the
- 6 moisture content of the product is less than 5 weight percent.

7

- 8 63. The method of Claim 62 where the humidity of the manufacturing
- 9 environment of nutraceutical product is less than 25%.

10

- 11 64. The method of Claim 62 where the temperature of the
- 12 manufacturing environment of nutraceutical product is from 20 to 15
- degrees Celsius.

14

- 15 65. The method of Claim 64 where the nutraceutical product is
- 16 encapsulated with capsules within 2 hours after manufacture.

17

- 18 66. The method of Claim 65 where the capsules are enteric coat, or
- 19 otherwise treat with a time release agent, within 2 hours after
- 20 encapsulation.

21

- 22 67. A method of supplementing a diet by administering for at least 10
- 23 to 14 days SAMe at a dosage of from 800 to 1200 milligrams per day
- 24 and at the same time administering a nutraceutical product comprising
- 25 SAMe and a dietary supplement, said nutraceutical product including a
- 26 a dosage of at least 400 milligrams per day of SAMe, and after 14 days
- 27 administering only said nutraceutical product.

INTERNATIONAL SEARCH REPORT

International application No. PCT/US00/27559

A. CL	A COLOR OF THE PARTY OF THE PAR			
A. CLASSIFICATION OF SUBJECT MATTER IPC(7) :A61K 31/12, 31/20, 31/40, 31/66, 31/70, 35/78, 39/385				
US CL :424/195.1, 514/ 46, 125, 415, 560, 689				
According to International Patent Classification (IPC) or to both national classification and IPC				
B. FIELDS SEARCHED				
Minimum documentation searched (classification system followed by classification symbols)				
U.S. : 424/195.1, 514/ 46, 125, 415, 560, 689				
Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched				
to the distance was such documents are included in the fields searched				
Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)				
REGISTRY, CAPLUS, NAPRALERT, BIOSIS, MEDLINE, EMBASE, WPIDS				
C. DOCUMENTS CONSIDERED TO BE RELEVANT				
Category*	Citation of document, with indication, where	appropriate, of the relevant passages	Relevant to claim No.	
Y	Database CAPLUS on STN (C	olumbus, OH, USA), No.	1-67	
	129:347310, HENDERSON E	T EL. 'Amino sugar	- 0,	
	glycosaminoglycan or glycosaminog	lycan-like compounds, and S-		
	adenosylmethionine,' abstract, WO 9	848816 A1, 19981105.	İ	
Y Database CARLUS on STN (asharkar OV)				
1	- Dumbuse Carlos on Sin. (columnis ()H (ISA) No. 1.67			
130:329206, HENRIKSEN, B 'Pharmaceutical formulation for				
treating liver disorders containin inorganic selenium and vitamins,' abstract, EP 913155 A2, 19990506.				
	2332201, 22 713133 AZ, 19990300.			
	•			
į				
	•			
		İ		
		}		
i				
Further documents are listed in the continuation of Box C. See patent family annex.				
Special categories of cited documents: A* document defining the general state of the art which is not considered the art whic				
	ment defining the general state of the art which is not considered to of particular relevance	the principle or theory underlying the		
	er document published on or after the international filing date	"X" document of particular relevance; the	claimed invention cannot be	
CHEU	ment which may throw doubts on priority claim(s) or which is to establish the publication date of another citation or other	considered novel or cannot be considered when the document is taken alone	d to involve an inventive step	
*peci	au reason (as specified)	"Y" document of particular relevance; the	claimed invention cannot be	
mean		considered to involve an inventire a combined with one or more other such being obvious to a person skilled in the	tep when the document is	
document published prior to the international filing date but later than *&* document member of the same patent family				
Date of the actual completion of the international search Date of mailing of the international search report			ch report	
14 DECEMBER 2000		17 JAN 2001		
Commissione	niling address of the ISA/US r of Patents and Trademarks	Authorized officer		
Box PCT Washington, D.C. 20231 REBECCA COOK				
acsimile No.	(703) 305-3230	Telephone No. (703) 303-1743-AL	CULLINS	